

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	678	email and (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:54
S4	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2007/11/15 13:19
S5	0	email with (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S6	0	email same (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S7	0	email same (encrypt\$3 or encod\$3) with only near4 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:57
S8	3	email same (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
S9	77	email and (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2007/04/05 17:28
S10	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:09
S11	26	email with (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:34
S12	26	email with (encrypt\$3 or encod\$3) with (stor\$3 or sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:35
S13	1	email with (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:49
S14	780	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S15	217	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S16	18	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 08:58

S17	1	send\$3 and receiv\$3 and (decrypt\$3 with (encrypt\$3 or encod\$3)) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S18	1	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3)) near2 (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S19	1	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3)) near5 (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S20	1	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3))with (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S21	19	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3))same (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:11
S22	0	(email same decrypt\$3 with (re-encrypt\$3 or re-encod\$3)) same (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 12:11
S23	19	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3))same (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S24	1	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3))near2 (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S25	1	(decrypt\$3 with (re-encrypt \$3 or re-encod\$3))with (sav \$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S26	20	(decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S27	0	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:15
S28	7	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24

S29	74	(email same ( (cipher\$3 encrypt\$3 or encode\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S30	74	(email same ( (cipher\$3 or encrypt\$3 or encode\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S31	0	(email same ( (cipher\$3 ) near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S32	10	(email same ( (encode\$3 ) near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S33	3	( recei\$5 same email same ( (encode\$3 )near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S34	77	email and (encrypt\$3 with sav \$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S35	0	email and (encrypt\$3 with sav \$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S36	0	email and (encrypt\$3 with store\$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S37	12	email and (encrypt\$3 with store\$3 near1 messages) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:42
S38	2	("20020136410").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 18:43
S39	0	("2001001458").PN.	USPAT; USOCR	OR	OFF	2006/02/01 11:44
S40	0	("2001001458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:44
S41	1	("20010014158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:08

S42	1	("6721784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:10
S43	20773088	email\$3 and (encrypt\$3 with local)@ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S44	137	email\$3 and (encrypt\$3 with local) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S45	24	email\$3 and (encrypt\$3 with local with sav\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:18
S46	50	email\$3 and (encrypt\$3 with local with stor\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S47	4	(encrypt\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:38
S48	0	(encodi\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:17
S49	1	("6,625,734").PN.	USPAT; USOCR	OR	OFF	2006/02/01 13:17
S50	2	("6721784").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 16:59
S51	2	("6625734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S52	2	("6590887").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S53	2	("6697422").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:14

S54	2	("5249220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:15
S55	2	("5844922").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:17
S56	2	("5859594").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S57	2	("6539118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S58	619	(character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:28
S59	47	((select\$3 choos\$3 evaluat \$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S60	76	((select\$3 choos\$3 evaluat \$4) with character\$3 with encod\$3 with formats)".a.b" and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S61	47	((select\$3 choos\$3 evaluat \$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S62	6	((select\$3 choos\$3 evaluat \$4) with character\$3 with encod\$3 with formats).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:31
S63	2	((select\$3 choos\$3 evaluat \$4) with character\$3 with encod\$3 with formats) and text adj1 messages and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 11:58
S64	2	("20040221032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 11:58

S65	3127	recipient\$3 with (encrypt\$3 encod\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20
S66	733	recipient\$3 near2(encrypt\$3 encod\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20
S67	94	(recipient\$3 near2(encrypt\$3 encod\$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S68	0	(recipient\$3 near2(re-encrypt \$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S69	10	(recipient\$3 with (re-encrypt \$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:31
S70	4	(recipient\$3 near2 (re-encrypt \$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:35
S71	5	(receivers near2 (re-encrypt \$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S72	0	(receivers near2 (reencrypt \$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S73	9	(receivers near4 (re-encrypt \$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S74	1	(receivers near4 (re-encrypt \$3) with stor\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S75	1	(receivers near4 (re-encrypt \$3) same stor\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41

S76	0	((receivers near4 (re-encrypt \$3 ) with mail) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S77	0	((recipient\$4 near4 (re-encrypt \$3 ) with mail) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S78	2	((recipient\$4 near4 (re-encrypt \$3 ) with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S79	0	((re-encrypt\$3 ) near2 stor\$4 with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S80	0	((re-encrypt\$3 ) near3 stor\$4 with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S81	165	((re-encrypt\$3 ) near3 stor \$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S82	11	((re-encrypt\$3 ) near3 stor \$4) and email and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S83	22	(stor\$5 with encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 07:57
S84	6	((recipient\$1 viewer\$1 receiver\$1) with stor\$5 with encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:03
S85	2	((recipient\$1 viewer\$1 receiver\$1)with re-encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05

S86	0	((recipient\$1 viewer\$1 receiver\$1) same re-encrypt \$4 near4 (email\$1 e-mail\$1) near4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S87	0	(re-encrypt\$4 near4 (email\$1 e-mail\$1) near4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S88	10147	(re-encrypt\$4 near\$4 (email\$1 e-mail\$1) near\$4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S89	0	(re-encrypt\$4 with (email\$1 e-mail\$1) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S90	0	(re-encrypt\$4 with (email\$1 e-mail\$1 mails) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S91	12	(re-encrypt\$4 same (email\$1 e-mail\$1 mails) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:07
S92	13	(re-encrypt\$4 near4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S93	48	(confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S94	2	((select\$4 choos\$4) with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:39
S95	2	(email with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S96	2	(email same confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42



S97	48	(email and confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S98	6	(email and (confidential with levels with (restrict\$4 limit \$4))) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:43
S99	0	(email with confidential\$4 with (modif\$4 manipul\$4)) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/18 22:45
S100	0	((email\$3 e-mail\$3) with confidential\$4 with (modif\$4 manipul\$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S101	0	((email\$3 e-mail\$3) with levels with (modif\$4 manipul\$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S102	9	((email\$3 e-mail\$3) with levels with (modify manipul\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 22:55
S103	13	((email\$3 e-mail\$3) with (confidential\$3 secure\$3 privac\$4) with (modify manipul\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:54
S104	5	"6766458"	USPAT	OR	OFF	2007/11/19 08:56
S105	1	("6766458").FN.	USPAT; USOCR	OR	OFF	2007/11/19 08:57
S106	1	("6877137").FN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S107	0	("20030046533").FN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S108	2	("20030046533").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 08:58
S109	1	(confident\$4 near2 levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:00
S110	7	(confident\$4 with levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:09

S111	132	((confident\$4 with levels) and @ad<="20010508" and (email\$1 e-mail\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 09:09
S112	9	((confident\$4 with levels) same (email\$1 e-mail\$1) and @ad<="20010508"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 10:50
S113	1	("7039951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S114	0	("20030046533").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S115	2	("20030046533").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:30
S116	0	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:55
S117	45	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S118	5	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and (prompt\$4 with password\$1) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S119	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S120	1	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S121	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S122	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58

S123	1	((email\$3 e-mail\$3) with (decrypt\$ with prompt\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:30
S124	1	("7,039,951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 13:30
S125	0	((confident\$4) with (decrypt\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S126	233	((confident\$4) with (decrypt\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S127	5	((confident\$4) with levels with (decrypt\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S128	0	((confident\$4) with levels same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S129	0	((confident\$4) same levels same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:37
S130	4	((confident\$4) same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S131	27	((confident\$4) same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S132	0	((confident\$4) with levels same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S133	0	((confident\$4) with satisf\$ same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:39

S134	6	((confident\$4) with (decrypt \$4) same (email\$1 e-mail \$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S135	0	((privacy\$4) with levels with (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S136	6	(levels with (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:51
S137	4	(select\$4 choos\$4) near2 (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:53
S138	0	display\$4 with (select\$4 choos\$4) with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:54
S139	1	display\$4 same (select\$4 choos\$4) with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:55
S140	5	display\$4 same (select\$4 choos\$4) same (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S141	1	display\$4 with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S142	28	display\$4 with (confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S143	1	display\$4 with select\$3 with (confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S144	0	interfaces with select\$3 with (confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58

S145	32	select\$3 with(confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58
S146	6	(options with manipulat\$ with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:12
S147	1	("5940591").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:12
S148	1	("5940591").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:13
S149	1	("7039951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:13
S150	1	("6,721,784").PN.	USPAT; USOCR	OR	OFF	2008/04/16 14:24
S151	183	email and (restrict\$4 with modif\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:25
S152	1	email same (restrict\$4 with modif\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:26
S153	3	email same (restrict\$4 with (modif\$4 edit\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:26
S154	1202	email same ( (modif\$4 edit \$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S155	451	email with( (modif\$4 edit\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S156	21	email with( (modif\$4 edit\$4)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S157	0	email same prevent\$4 near4 ( (modif\$4 edit\$4)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35

S158	6	email same prevent\$4 near4 ( (modif\$4 edit\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:36
S159	3	((("7039951") or ("6721784") or ("6941454"))).PN.	USPAT; USOCR	OR	OFF	2008/04/16 14:43
S160	3	email and confidential same (prevent\$4 limit\$4 avoid restrict\$4) near4( (modif\$4 edit\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:05
S161	10	email and confidential\$4 same (prevent\$4 limit\$4 avoid restrict\$4) near4 ( (modif\$4 edit\$4 chang\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:08
S162	252	email and confidential\$4 same ( (modif\$4 edit\$4 chang \$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:11
S163	13	email same confidential\$4 same ( (modif\$4 edit\$4 chang \$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:11
S164	2881026	electronic confidential\$4 same ( (modif\$4 edit\$4 chang \$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S165	220	electronic same confidential \$4 same ( (modif\$4 edit\$4 chang\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S166	14	(electronic same confidential \$4 same ( (modif\$4 edit\$4 chang\$4))) .ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S167	27	(electronic same confidential \$4 same ( (modif\$4 edit\$4 chang\$4))) same levels and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:52
S168	1	("6941454").PN.	USPAT; USOCR	OR	OFF	2008/04/17 13:38
S169	1	("20020099777").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/17 13:51

S170	3	(electronic same confidential \$4 with ( (modif\$4 edit\$4 chang\$4))) same levels and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:24
S171	9	(confidential\$4 near3 levels with(modif\$4 edit\$4 chang \$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:31
S172	20	(confidential\$4 near3 levels same (modif\$4 edit\$4 chang \$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:07
S173	11	(confidential\$4 near3 levels same (modif\$4 edit\$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:07
S174	19	(confidential\$4 with levels same (modif\$4 edit\$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:09
S175	37	(confidential\$4 near4 (modif \$4 edit\$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:36
S176	1	(confidential\$4 near7 protect near4 (modif\$4 edit\$4))and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:37
S177	1	("6144991").PN.	USPAT; USOCR	OR	OFF	2008/04/21 13:56
S178	1	("6983421").PN.	USPAT; USOCR	OR	OFF	2008/04/21 14:43
S179	1	("20030110416").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/21 14:57
S180	1	("20030110416").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:28
S181	1	("6983421").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:50
S182	1	("6144991").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:52
S183	1	("20020099777").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/05 11:32
S184	1	("20030023695").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/09 05:24

8/10/2009 12:21:35 PM

C:\Documents and Settings\Itruong6\My Documents\EAST\Workspaces\09851625.wsp